


\$800Specifications



| ifting capacity Dual Circuit: | 400 / 600 / 800 kg |
|-------------------------------|----------------------------------|
| Machine weight: | 64 / 73 / 82 kg |
| Rotation range: | 360° with four locking positions |
| Tilting range: | 90° with six locking positions |
| Machine height: | 190 mm |
| Battery: | 12VDC, 10Ah |



The Hoeflon S800 suction lifter is a premium quality multifunctional glass lifter, with exceptional fit and finish, at a very competitive price.

All our products are designed in-house in close cooperation with users from the field. This results in products that are a class apart when it comes to the details and provide the user with every convenience in daily use.

Unique features

- Can be used as both spider and inline suction lifter.
- At just 82 kg with a lifting capacity of 800 kg, it is the lightest suction lifter in its class.

Delivered standard with:

- · Radio remote control
- Transport trolley
- Shortened lifting arm
- Legs
- Quick-change battery
- Protective covers for suction cups

Accessories





Remote control



Lifting arm




Specifications

- Extra-short lifting arm provides very compact dimensions for when glass installation space is limited.
- ▶ Angle adjustment on the Hoeflon lifting arm provides extra safety and convenience for indoor glazing installation because the angle can be fixed in different positions.
- ▶ Double vacuum circuit, meeting the requirements of the EN 13155 directive, ensures maximum safety and installation speed because external load fall arrester is no longer necessary.
- ▶ Radio remote control provides extra installation speed and convenience.
- ▶ The overall width of the machine is very low, which means that work can also be carried out between the façade and scaffolding.






SWL 800 kg - Spider suction lifter (82 kg)




SWL 600 kg - Inline suction lifter (73 kg)






SWL 400 kg - Inline suction lifter (64 kg)



SWL 200 kg - Base unit (51 kg)







Your Hoeflon contact person

Hoeflon machines are functional and offer optimal power and reliability. We offer many possibilities and help you come up with solutions.





